

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
17 March 2005 (17.03.2005)

PCT

(10) International Publication Number  
**WO 2005/024708 A1**

(51) International Patent Classification<sup>7</sup>: **G06K 9/00**

(21) International Application Number:  
PCT/KR2004/002285

(22) International Filing Date:  
8 September 2004 (08.09.2004)

(25) Filing Language: Korean

(26) Publication Language: English

(30) Priority Data:  
10-2003-0062537  
8 September 2003 (08.09.2003) KR

(71) Applicant and

(72) Inventor: **YOO, Woong-Tuk** [KR/KR]; 91-6, Cheongdam-dong, Kangnam-gu, Seoul 135-954 (KR).


(74) Agent: **SHINSUNG PATENT FIRM**; 2F, Line Bldg., 823-30, Yeoksam-dong, Kangnam-ku, Seoul 135-080 (KR).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: THE PUPIL DETECTION METHOD AND SHAPE DESCRIPTOR EXTRACTION METHOD FOR A IRIS RECOGNITION, IRIS FEATURE EXTRACTION APPARATUS AND METHOD, AND IRIS RECOGNITION SYSTEM AND METHOD USING ITS



(57) Abstract: Provided is pupil detection method and shape descriptor extraction method for an iris recognition, iris feature extraction apparatus and method, and iris recognition system and method using the same. The method for detecting a pupil for iris recognition, includes the steps of: a) detecting light sources in the pupil from an eye image as two reference points; b) determining first boundary candidate points located between the iris and the pupil of the eye image, which cross over a straight line between the two reference points; c) determining second boundary candidate points located between the iris and the pupil of the eye image, which cross over a perpendicular bisector of a straight line between the first boundary candidate points; and d) determining a location and a size of the pupil by obtaining a radius of a circle and coordinates of a center of the circle based on a center candidate point, wherein the center candidate point is a center point of perpendicular bisectors of straight line between the neighbor boundary candidate points, to thereby detect the pupil.



**Published:**

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*